

9/6/1
M-722

PRELIMINARY LIST



PLANTS

Growing without Cultivation in Alabama.

QK
150
.M65
1880

MERTZ LIBRARY
NEW YORK
BOTANICAL
GARDEN

PRELIMINARY LIST

OF THE

Plants Growing without Cultivation

~~IN ALABAMA,~~

FROM THE COLLECTIONS MADE BY

EUGENE A. SMITH, Tuscaloosa, & CHAS. MOHR, Mobile, Ala.

COMPILED BY CHARLES MOHR.

1880

[EXPLANATION.—The letters M. (Mohr) and S. (Smith), affixed to the names of the species, will indicate the collector.]

I. *Ranunculaceæ*.

1. *Clematis Crispa*, L., S., M.
Catesbyana, Pursh., Clarke
county, M.
Viorna, L., M., Mol.
reticulata, Walt., Cl'ke Co. M.
2. *Anemone nemorosa*, L., S.
Caroliniana, Walt., S.
Virginiana, L., S.
heterophylla, Nutt., S.
3. *Thaliectrum anemonoides*, Michx., S.
debile, BuekI., Wilcox Co.,
ex herb., M.
4. *Hepatica triloba*, Chaix., S.
5. *Myosurus minimus*, L., S.
6. *Ranunculus parviflorus*, L., S., M.
muricatus, L., M.
pusillus, Poir., M,

-
- var. oblongifolius, M.
abortivus, L., S.
recurvatus, Poir., S.
repens, L., S.
acris, L., S.
sceleratus, L., M.

7. *Isopyrum biternatum*, Torr, & Gr., S.
8. *Delphinium azureum*, Michx., S., M.
tricorne, Michx., S.
exaltatum, Ait., S.
9. *Aconitum uncinatum*, L., S.
10. *Zanthorrhiza apiifolia*, L'Her., S.
11. *Actaea alba*, Bigel, S., M.

II. *Magnoliaceæ.*

12. *Illicium Floridanum*, Ellis, S., M.
13. *Magnolia grandiflora*, L. S., M.
glauea, L., S., M.
Umbrella, Lam., S.
acuminata, L., S.
Fraseri, Walt., Clarke Co.,
Denny.
macrophylla, Michx., M.
14. *Liriodendron Tulipfera*, L., S.

III. *Anonaceæ.*

15. *Asimina parviflora*, Dunal, S. M.

IV. *Menispermaceæ.*

16. *Cocculus Carolinus*, DC. S.
17. *Calyceocarpum Lyoni*, Nutt., S.

V. *Berberidaceæ.*

18. *Podophyllum peitatum*, L. S.

VI. *Nelumbiaceæ.*

19. *Nelumbium luteum*, Wild, M.

VII. *Cabombaceæ.*

20. *Cabomba Caroliniana*, Gray, M.
21. *Brasenia peltata*, Pursh, M.

VIII. *Nymphaeaceæ.*

22. *Nuphar advena*, Ait. S.
 sagittaefolia, Pursh., S. M.

IX. *Papaveraceæ.*

23. *Sanguinaria Canadensis*, L., S.
24. *Argemone Mexicana*, L., M.

X. *Sarraceniaceæ.*

25. *Sarracenia purpurea*, L. M,
 Psittacina, Michx., M,
 rubra, Walt. M.
 Drummondii, Croom, M.
 flava, L. M.

XI. *Fumariaceæ.*

26. *Dicentra Cucullaria*, DC., S.
27. *Corydalis aurea*, Wild, S., M.

XII. *Cruciferæ.*

28. *Cardamine rhomboidea*, DC., S.
 Ludoviciana, Hook, S., M.
 hirsuta, L., S.
29. *Arabis Candensis*, L. S.
 laevigata, DC., S.
30. *Sisymbrium Thaliana*, Gaud., S., M.
31. *Dentaria diphylla*, Michx., S.
 laciniata, Muhl., S.
32. *Draba cuneifolia*, Nutt., S., M.

33. *Senebiera pinnatifida*, DC., S.
 34. *Capsella Bursa-pastoris*, Moench., S M.
 35. *Lepidium Virginicum*, L., S., M.
 36. *Cakile maritima*, Scop.
 Var. *aequalis*, Chap., M.

XIII. *Capparidaceæ.*

37. *Polanisia graveolens*, M.
 38. *Gynandropsis pentaphylla*, DC., S.

XIV. *Violaceæ.*

39. *Viola cucullata*, Ait., S., M.
 palmata, L. S., M.
 var. *septemloba*, Le Conte. S.
 sagittata, L., S., M.
 pedata, L. S. M.
 primulæfolia, L., S., M.
 lanceolata, L., S., M.
 blanda, Wild., S., M.
 Muhlenbergii, Torr., S.
 hastata, Michx., S.
 pubescens, Ait., S.
 var. *scabrinsecula*, S.
 tricolor, L.
 Var. *arvensis*, M. S.

40. *Solea concolor*, Ging., S.

XV. *Cistaceæ.*

41. *Helianthemum Carolinianum*, Michx., M.
 corymbosum, Michx., M.
 42. *Lechea major*, Michx., M.
 minor, Lam., M.

XVI. *Droseraceæ.*

43. *Drosera filiformis*, Raf., M.
 longifolia, L., M.
 brevifolia, Pur:h., M.

XVIII. *Hypericaceæ.*

44. *Ascyrum Crux-Andreæ*, L., S.
 stans, Michx., S.
 microsepalum, Torr. & Gray,
 M., S.
45. *Hypericum prolificum*, L. S.
 maculatum, Walt., M.
 fasciculatum, L., M.
 var. *aspalathoides*, Chap. M.
 galoides, Lam., S.
 myrtifolium, Lam., M.
 cistifolium, Lam., M.
 angulosum, Michx., M.
 pilosum, Walt., M.
 mutilum, L., S.
 Canadense, L., M. (Mobile) S.
 Sarothra, Michx., M. S.
 Drummondii, Torr. & Gray, M.
46. *Elodea Virginica*, Nutt., S.
 petiolata, Pursh., M.

XX. *Portulacaceæ.*

47. *Claytonia Virginica*, L., S.
 48. *Portulaca oleracea*, L., S.
 49. *Sesuvium portulacastrum*, L.. M.

XXI. *Caryophyllaceæ.*

50. *Syphonymchia erecta*, Chap., M.
 51. *Stipulicida setacea*, Michx., M.
 52. *Spergularia media* var. *macrocarpa*, M.
 53. *Mollugo verticillata*, L., S.
 54. *Spergula arvensis*, L., M.
 55. *Sagina Elliottii*, Fenzl., M. S.

-
56. *Arenaria Pitcheri*, Nutt., M.
diffusa, Ell., M.
57. *Cerastium vulgatum*, L., S,
viscosum, L., M. S.
nutans, Raf.; M. S.
58. *Stellaria pubera*, Michx., S.
Media, Smith., S.
59. *Silene stellata*, Ait., S.
Virginica, L., S.
regia, Sims, M.
Antirrhina, L., S. M.
60. *Lychnis Githago*, L., S.

XXII. *Malvaceæ*.

61. *Callirhoe Papaver*, Gray M. (Washington County.)
alcæoides, Gray, S.
62. *Sida spinosa*, L.
rhombifolia, L., M. (Mobile.)
Elliottii, Torr & Gray, S. M.
(Washington county.)
hispida, S.
63. *Abutilon Avicennae*, Gaertn. S.
64. *Modiola multifida*, Moéch., M. S.
65. *Hibiscus aculeatus*, Walt., M. (Mobile.)
incanus, Wendl., M.
Moscheutos, L. M., (Mobile) S.
militaris, Cav., Dr. Vasser (Cahaba) M.
66. *Kosteletzkya Virginica*, Presl. S.
- #### XXIV. *Tiliaceæ*.
67. *Tilia Americana*, L., Dr. Denny (Clarke County.)

68. *Corchorus siliquosus*, L., M. (Mobile) S

XXV. *Camelliaceæ.*

69. *Stuartia pentagyna*, L'Her., M. (Mobile).

XXIX. *Linaceæ.*

70. *Linum Virginianum*, L., S.

striatum, Walt., M.

usitatissimum, S.

XXX. *Oxalidaceæ.*

71. *Oxalis violacea*, L. S.

acetocella, L., S.

stricta, L., S.

XXXII. *Geraniaceæ.*

72. *Geranium maculatum*, L. S.

Carolinianum, L. S.

XXXIII. *Balsaminaceæ.*

73. *Impatiens pallida*, Nutt, S.

fulva, Nutt., M. S.

XXXIV. *Rutaceæ.*

74. *Zanthoxylum Ca/olinianum*, S., M.

 var *fruticosum*, Gray, M.

75. *Ptelea trifoliata* L., S.

XXXVII. *Anacardiaceæ.*

76. *Rhus Toxicodendron*

 var. *quercifolium*, Michx. M.S.

 var. 2. *radicans*, Torr., M. S.

venenata, DC. S., M.

typhina, L., S.

copallina, L., M. S.

cotinoides, Nutt., Buckley.

XXXVIII. *Vitaceæ.*

77. *Vitis (cissus) bipinnata*, Torr. & Gray, S.
 incisa, Nutt., M.
 indivisa, Wild., M. S.
 æstivalis, Michx.
 vulpina, L., M.
 78. *Ampelopsis quinquefolia*, Michx.

XXXIX. *Rhamnaceæ.*

79. *Berchemia volubilis*, DC., S., M.
 80. *Sageretia Michauxii*, M.
 81. *Rhamnus lanceolatus*, Pursh. S.
 parvifolius, Torr and Gray.
 82. *Frangula Caroliniana*, Gray, S. M.
 83. *Ceanothus Americanus*, L., S.
 var. B. Pitcheri, Torr. & Gray, M.
 var. D. intermedius, M.

XL. *Celastraceæ.*

84. *Euonymus Americanus*, L., S.
 XLI. *Staphyleaceæ.*

85. *Staphylea trifolia*, L. S.

XLII. *Sapindaceæ.*

86. *Cardiospermum Halicacabum*, L., S.
 87. *Aesculus Pavia*, L., M. S.
 flava, Ait., M. (Montgomery).
 parviflora, Walt., S. M., (Wilder Co.)

XLIII. *Aceraceæ.*

88. *Acer rubrum*, L., M. S.
 dasycarpum, Ehrh. S.
 89. *Negundo aceroides*, S.

XLV. *Polygalaceæ.*

90. *Polygala cymosa*, Walt. M. (Mobile.)
 ramosa, Ell., M.
 lutea, L. S., M.
 sanguinea L. S.
 nana, DC. S.
 Nuttallii, Carey, S.
 incarnata, M. (Mobile.)
 Chapmanii, Torr. & Gray, M.
 setacea, Michx. S.
 cruciata, M. (Mobile.)
 brevifolia, Nutt., M. (Mobile.)
 Hookerii, Torr, & Gray, M. "
 grandiflora, Walt., S., M.
 polygama, Walt., M. (Mobile.)
 Bojkini, Nutt., S.
 verticillata, L., S., M.
 ambigua, M. (Mobile.)
 leptostachys, Shuttl., M. (Mob.)

XLVII. *Leguminosæ.*

Suborder 1. Papilionaceæ.

91. *Crotalaria sagittalis*, L., S.
 ovalis, Pursh., S.
 Purshii, DC., S., M.
 92. *Melilotus officinalis*, Willd., S.
 parviflorus, M.
 93. *Lupinus perennis*, L., M. (Mobile.)
 diffusus, Nutt., M. "
 vilosus, Willd., M. "
 94. *Medicago lupulina*, S.
 minima M. (Mobile).
 95. *Trifolium Carolinianum*, L., S., M. (Mob.)

- reflexum, L., S.
 repens, L.
 pratense, L. (escaped from cult.)
 procumbens, L.
96. *Psoralea melilotoides*, Michx., var. M,
 (Mobile).
 eglandulosa, Ell., S.
 canescens, Michx. M. (Mobile).
97. *Petalostemon gracile*, Nutt., M. "
 corymbosum, Michx.
98. *Amorpha fruticosa*, L., M. (Mobile).
99. *Robinia Pseudacacia*, L. S.
100. *Wistaria frutescens*, DC., M. (Mobile).
101. *Tephrosia Virginiana*, Pers. S.
 spicata, Torr. & Gray, S., M.
 ambigua, Curtis, M. (Mobile).
 hispidula, Pursh., M. "
 oxobrychoides, Torr. & Gray,
 (Mobile).
 chrysophylla, Pursh., M. (Mob.)
102. *Indigofera Caroliniana*, Walt., M. (Mob.)
 tinctoria, L., (natur. Mobile).
103. *Glottidium Floridanum*, DC., M. "
104. *Sesbania macrocarpa*, Nutt., M. "
105. *Astragalus villosus* Michx., M. "
106. *Vicia sativa*, L., S. M. "
 hirsuta, Koch, M. "
 acutifolia, Ell., M. "
 Caroliniana, Walt., S.
 Ludoviciana, Torr. & Gray, M.
207. *Aeschynomene hispida*, Willd., M. (Mob.)
 viscidula, Michx., M. "
108. *Zornia tetraphylla*, Michx., S., M.

109. *Stylosanthes elatior*, Swartz., S.
110. *Lesp. deza repens*, Torr. & Gray, S.
- var. *procumbens*, (Mobile).
 - violacea*, Pers. S.
 - var. *divergens*, Chap., S.
 - var. *sessiliflora*, Chap., S., M.
 - var. *reticulata*, Chap., M. (Mob.)
 - var. *Stuvei* Nutt. S.
 - capitata*, Michx., S., M.
 - striata*,
111. *Desmodium nudiflorum*, DC., S., M.
- acuminatum*, DC., M. (Mobile).
 - viridiflorum*, Beck, S.
 - cuspidatum*, Torr. & Gray M.
 - rotundifolium*, DC., M. (Mob.)
 - Dillenii*, Darl., M. "
 - Canadense*, DC. S.
 - laevigatum*, DC. M. "
 - strictum*, DC. M. "
 - tenifolium*, Torr & Gr., M. "
 - Marylandicum*, Boott.
 - ciliare*, DC., S. M. (Mobile)
 - rigidum* DC. S. "
 - lineatum*, DC., M. "
112. *Rhynchosia minima*, DC. M. "
- tomentosa*
 - var. *monophylla*, Torr & Gray,
Ell., S. M.
 - var. *erecta*, Torr. & Gray, Ell.,
M. S.
 - var. *volubilis*, Torr. & Gray, M.
 - galactoides*, Chap., M. (Mobile).
113. *Apios tuberosa*, Moench., S.

114. *Phaseolus perennis*, Walt., M.
 diversifolius, Pers., S.
 helvolus, L. M. (Mobile).
115. *Vigna glabra* Savi. M. "
 116. *Erythrina herbacea*, L., S.
 117. *Clitoria Marianna*, L. S.
 118. *Centrosema Virginiana*, Benth., S.
 119. *Amphicarpa monoica*, Nutt., M.
 120. *Galactia pilosa*, Ell., M. S.
 mollis, Michx., S., M.
 glabella, Michx., M.
 sessiliflora, Torr. & Gray, M.
 121. *Baptisia leucantha*, M.
 alba, Brown, S.
 lanceolata, Ell., M.

Suborder 2. Caesalpinieæ.

122. *Circis Canadensis*, L., S.
 123. *Cassia occidentalis*, L., S.
 obtusifolia, L., M.
 Marylandica, L., S.
 Chamaecrista, L., S.
 biflora, L., S.
 nictitans, L., M.
 124. *Gleditschia triacanthos*, L., S.
 monosperma, Walt., S.

Suborder 3. Mimosæ.

125. *Mimosa strigillosa*, Torr. & Gray, S.
 126. *Neptunia lutea*, Benth., M.
 127. *Desmanthus brachylobus*, Benth., M.
 128. *Schranksia uncinata*, Willd., S.
 angustifolia, Torr. & Gray, M.

XLVIII. *Rosaceæ.*

129. *Prunus Chicasa*, Michx., M.
 Americana, Marsh.
 umbellata, Ell., M. (*Tallapoosa*).
 (*Cerasus*) *serotina*, Ehr., S.
 (*Laurocerasus*) *Caroliniana*, Ait., S.
130. *Neviusia Alabamensis*, Gray, S.
131. *Agrimonia Eupatoria*, L., S.
 parviflora, Ait., M. S.
132. *Geum album*, Gmelin, M.
133. *Sanguisorba Canadensis*, L., S.
134. *Waldsteinia fragarioides*, Tratt, S.
135. *Potentilla Canadensis*, S.
136. *Fragaria Indica*, S.
137. *Rubus villosus*, Ait., S.
 trivialis, S.
138. *Rosa lucida*, Ehr., S.
 rubiginosa, L., S.
 lævigata, Michx., S.
139. *Crataegus spathulata*, Michx., S.
 apiifolia, Michx., S.
 coccinea, L., S.
 tomentosa, L., S.
 glandulosa, Michx., S.
 arborescens, Ell., M.
 parvifolia, Ait. S.
140. *Pyrus coronaria*, L., S.
 arbutifolia
 var. *erythrocarpa*, (Mobile).
 var. *melanocarpa*, Dr. Denny.
141. *Amelanchier Canadensis*
 var. *Botryapium*, Torr. & Gr., S.
142. *Chrysobalanus oblongifolius*, Michx., M.

XLIX. *Calycanthaceæ.*

143. *Calycanthus floridus*, L., S.
laevigatus, Willd., M.

LI. *Melastomaceæ.*

144. *Rhexia Marianæ*, L. S.
Viginica, L. S.
stricta, Pursh. S.
gabella, Michx. S.
ciliosa, Michx. S.
lutea, Walt., M.

LII. *Lythraceæ.*

145. *Lythrum alatum*, Pursh., M. (Mobile).
lineare, L. M.
146. *Nesæa verticillata*, H. B. K., S.
147. *Ammania humilis*, Michx., S.
148. *Cuphea viscossima*, Jacq. S.

LV. *Onagraceæ.*

149. *Gaura filipes*, Spach., S.
biennis, L., S.
var. ——— M. (Mobile).
150. *Oenothera biennis*, L. S.
sinuata, L., S.
var. *humifusa*, Chap., M.
pumila, M.
riparia, Nutt., S.
linearis, Michx., S.
fruticosa, L., S.
151. *Epilobium coloratum*, Muhl., S.
152. *Jussiaea leptocarpa*, Nutt., S.
decurrens, DC., S.
grandiflora, Michx., M.

153. *Ludwigia alternifolia*, L., S.

linearis, Walt., S.

pilosa, Walt., S.

hirtella, Raf., M.

virgata, Michx., M.

cylindrica, Ell., M.

capitata, Michx., M.

154. *Proserpinaca palustris*, L., M.

pectinacea, Lam., M.

LVI. *Cactaceæ*.

155. *Opuntia vulgaris*, Mill, S.

LX. *Passifloraceæ*.

156. *Passiflora lutea*, L., S.

incarnata, L., S.

LXI. *Cucurbitaceæ*.

159. *Melothria pendula*, L., M.

158. *Lagenaria vulgaris*.

LXIII. *Crassulaceæ*.

159. *Sedum Nevii*, Gray, S.

ternatum, Michx., S.

telephoides, Michx., S.

160. *Penthorum sedoides*, L., S.

LXIV. *Saxifragaceæ*.

161. *Heuchera Americana*, L., S.

Curtisii, Gray, Buckley, ex herb. M.

162. *Saxifraga Virginensis*, Michx., S.

Caroliniana, Gray, S.

163. *Tiarella Cordifolia*, L., S.

164. *Itea Virginica*, L., S.

165. *Hydrangea radiata*, Walt., S.

quercifolia Bartram, M., S.

166. Lepuropetalon spathulatum, Ell., M.
 167. Decumaria barbara, L., S.
 168. Philadelphus grandiflorus, Willd., S.

LXV. *Hamamelaceæ.*

169. Hamamelis Virginica, L., S.
 170. Liquidambar Styraciflua, L., S.

LXVI. *Umbelliferæ.*

171. Hydrocotyle umbellata, L., S.
 interrupta, Muhl., M.
 ranunculoides, L., M.
 repanda, Pers., M.
 172. Sanicula Marylandica, L., S.
 173. Eryngium yuccæfolium, Michx., S.
 virgatum, Lam., S.
 174. Leptocaulis divaricatus, DC., M.
 echinatus, DC., M.
 175. Discopleura capillacea, Nutt., M.
 176. Dauens pussillus, Michx., S.
 177. Cicuta maculata, L. S.
 178. Heliosciadium nodiflorum, Koch., S.
 leptophyllum, DC., S.
 179. Sium lineare, Michx., M.
 180. Trepocarpus Æthuse, Nutt., M.
 181. Tiedmannia teretifolia, DC., M.
 182. Archemora rigida, DC., M.
 183. Chaerophyllum procumbens, Lam., S.
 Teinturieri, Hook. & Arn., M.
 184. Scandix pecten, L., M.
 185. Thaspium aureum, Nutt., M.
 trifoliatum, Gray, S.
 186. Bupleurum perfoliatum, S.
 187. Osmorrhiza brevistylis, DC., S.

LXVII. *Araliacæ.*

188. *Aralia spinosa*, L., M.
 189. *Panax quinquefolium*, L., S.

LXVIII. *Cornaceæ.*

190. *Cornus stricta*, Lam., S.
 florida, L., S.
 191. *Nyssa aquatica*, L., M.
 multiflora, Wang., S.
 \ *uniflora*, Walt., S.
-

DIVISION II.

Monopetalous Exogenous Plants.LXIX. *Caprifoliaceæ.*

192. *Lonicera sempervirens*, Ait., S.
 grata, Ait., S.
 193. *Triosteum perfoliatum*, L., M.
 194. *Sambucus Canadensis*, L., S.
 195. *Viburnum prunifolium*, L., S.
 var. *ferrugineum*, L., S.
 nudum, L., S.
 scabrellum, Torr. & Gray, M.
 acerifolium, L. M.

LXX. *Rubiaceæ.*

196. *Galium Aparine*, L., M.
 hispidulum, Michx., M.
 triflorum, Michx., M. S.
 pilosum, Ait., M., S.
 var. *puncticulosum*, Michx., M.
 197. *Spermacoce glabra*, Michx., S.

-
198. *Diodia Virginiana*, L., S.
teres, Walt., M.
199. *Cephalanthus occidentalis*, L., S.
200. *Mitchella repens*, L., S.
201. *Oldenlandia cœrulea*, Gray, S.
var. *minor*, Torr, & Gray (mob.)
rotundifolia, Gray, M.
purpurea, Gray, S.
var. *tenuifolia*, Gray, S.
augustifolia, Gray, M.
glomerata, Michx., M.
spec. — M.
202. *Spigelia Marylandica*, L., S.
203. *Mitreola petiolata*, Torr. & Gray, M., S.
sessilifolia, Torr. & Gray, M.
204. *Polypremum procumbens*, L., M.
205. *Gelsemium sempervirens*, Ait., S.

LXXI. *Valerianaceæ*.

206. *Fedia radiata*, Michx., M. S.

LXXII. *Compositæ*.

207. *Vernonia Noveboracensis*, Willd., S.
fasciculata
var. *altissima*, Torr. & Gray, S.
angustifolia, Michx., M. S.
208. *Stokesia cyanea*, L'Her., M.
209. *Elephantopus Carolinianus*, Willd., S.
tomentosus, L., M. S.
210. *Carphephorus Pseudo-Liatris*, Cass., M.
corymbosa, Torr. & Gray, S.
211. *Ageratum conyzoides*, L. M.
212. *Liatris elegans*, Willd., S.

-
- squarrosa, Willd., S.
 tenuifolia, Nutt.
 graminifolia, Willd., S.
 spicata, Willd., S.
 gracilis, Pursh., M.
 odoratissima, Willd., M.
213. Kuhnia eupatorioides, L., S.
214. Eupatorium purpureum, L., S.
 hyssopifolium, L., M.
 cuneifolium, Willd., S.
 rotundifolium, L., S.
 leucolepis, Torr. & Gray, M.
 parviflorum, Ell., M.
 teucriifolium, Willd., S.
 album, L., S.
 perfoliatum, L., S.
 serotinum, Michx., S.
 fœniculaceum, L., S.
 var. lateriflorum, Torr. & Gr., M.
 coronopifolium, Willd., S.
215. Mikanea scandens, Willd., S.
216. Conoclinium coelestinum, DC., S.
217. Sericocarpus conyzoides, Nees., S.
 solidagineus, Nees., S.
 tortifolius, Nees., M.
218. Aster concolor, L., S., M.
 adnatus, Nutt., M.
 patens, Ait., S., M.
 virgatus, Ell., M.
 undulatus, L., S.
 ericoides, L., M.
 multiflorus, Ait., S.

-
- dumosus, L., S.
var. —— M.
var. —— M.
simplex, Willd., S.
219. *Erigeron strigosum*, Muhl., S.
Canadense, L. S.
Philadelphicum, L., S.
bellidifolium, Muhl., S.
vernus, Torr. & Gray, S.
220. *Diplopappus linariifolius*, Hook., M.
amygdalinus, Torr. & Gray, S.
221. *Boltonia diffusa*, Ell., M.
glastifolia, L'Her., M.
222. *Solidago discoidea*, Torr. & Gray, M.
Curtisii, Torr. & Gray, S.
puberula, Nutt., M.
pulverulenta, Nutt., M.
virgata, Michx., M.
sempervirens, L., M.
patula, Muhl., M.
altissima, L. S.
odora, Ait., S.
amplexicaulis, Torr. & Gray, S.
Canadensis, L., M.
pauciflosculosa, Michx., M.
lanceolata, L., M.
tenuifolia, Pursh., M.
223. *Bigelovia nudata*, DC., M.
224. *Isopappus divaricatus*, Torr. & Gray, S.
225. *Heterotheca scabra*, DC., M.
225. *Chrysopsis graminifolia*, Nutt. S.

- Mariana, Nutt., S.
gossypina, Nutt. S.
227. Baccharis halimifolia, L., M.
228. Pluchea bifrons, DC., M.
fœtida, DC., S.
camphorata, DC., M.
229. Polymnia Uvedalia, L., S.
230. Silphium laciniatum, L. S.
compositum, Michx., S.
Asteriscus, L., M.
lævigatum, Ell., M.
231. Chrysogonum Virginianum, L., M.
232. Parthenium integrifolium, L., S.
Hysterophorus, L. M.
233. Ambrosia artimisiæfolia, L. S.
234. Xanthium strumarium, L. S.
235. Eclipta erecta, L., M.
236. Boerchia frutescens, DC., M.
237. Melanthera hastata, Michx., M.
238. Tetragonotheca helianthoides, L. M.
239. Echinacea purpurea, Mœnch., S.
240. Rudbeckia hirta, L., S.
fulgida, Ait., M.
mollis, Ell., S. .
triloba, L. S.
241. Helianthus Radula, Torr & Gray, M.
angustifolius, L., M. S.
heterophyllus, Nutt., M.
atrorubens, L., S.
rigidus, Desf., S.
giganteus, L., M.
tomentosus, Michx., S.

-
- decapetalus, L., S.
hirsutus, Raf., S.
microcephalus, Torr. & Gray, M.
- 242. Actinomeris nudicaulis, Nutt., M.**
- 243. Coreopsis aurea, Ait., M.**
- var. leptophylla, M.
 - var. subintegra, M.
 - angustifolia, Ait., M.
 - senifolia, Michx., S.
 - delphinifolia, Lam., S.
 - auriculata, L., S.
 - lanceolata, L., S.
 - grandiflora, Nutt., M.
 - Drummondii, Michx., M.
- 244. Bidens frondosa, L., S.**
- connata, Muhl., S.
 - chrysanthemoides, Michx., M.
 - bipinnata, L., S.
- 245. Spilanthes repens, Michx., S.**
- Nuttallii, Torr. & Gray, M.
- 246. Verbesina Siegesbeckia, Michx., S.**
- Virginica, L., S.
- 247. Gaillardia lanceolata, Michx., M. S.**
- pulchella, Fouger, M.
- 248. Helenium autumnale, L., S.**
- tenuifolium, Nutt., S.
- 249. Leptopoda Helenium, Nutt., M.**
- fimbriata, Torr. & Gray, M.
 - puberula, Michx., M.
 - brevifolia, Nutt., M.
 - brachypoda, Torr. & Gray, M.
- 250. Balwinia uniflora, Ell., M.**

251. *Marshallia lanceolata*, Pursh., M. S.
 latifolia, Pursh., M.
252. *Maruta Cotula*, DC., S.
253. *Achillea millefolium*, L. S.
254. *Leucanthemum vulgare*, Lam., S.
255. *Gnaphalium polyccephalum*, Michx., S.
 purpureum, L., S.
256. *Antennaria plantaginifolia*, Hook., S.
257. *Tanacetum vulgare*, L., S.
258. *Erechthites hieracifolia*, Raf., S.
259. *Cacalia atriplicifolia*, L., S.
 tuberosa, Nutt., S.
 ovata, Walt., M.
 lanceolata, Nutt., M.
260. *Senecio lobatus*, Pers., S.
 vulgaris, L., M.
 Elliottii, Torr. & Gray, S.
261. *Cirsium altissimum*, Spreng., S.
 Virginianum, Michx., S.
 horridulum, Michx., M. S.
262. *Lappa major*, Gaert., S.
263. *Chaptalia tomentosa*, Vent., M.
264. *Apogon humilis*, Ell., S.
265. *Krigia Virginica*, Willd., M.
 Caroliniana, Nutt., S.
266. *Cynthia Virginica*, Don., S.
 Dandelion, DC., S.
267. *Hieracium Gronovii*, L., M.
 venosum, L., M.
268. *Nabalus altissimus*, Koch., S.
 virgatus, DC., M,
269. *Pyrrhoppapus Carolinianus*, DC., S.

-
270. *Lactuta, elongata*, L., S.
 271. *Mulgedium acuminatum*, DC., S.
 272. *Sonchus oleraceus*, L., S.
 asper, Vill., S.

LXXIII. *Lobeliaceæ*.

273. *Lobelia cardinalis*, L. S., M.
 syphilitica, L., S.
 puberula, Michx., M.
 leptostachys, A. DC., S.
 amœna, Michx., S.
 inflata, L., S.
 appendiculata, M.
 brevifolia, Nutt., M.
 Nuttallii, R. & S., M.
 paludosa, Nutt., M.

LXXV. *Campanulaceæ*.

274. *Campanula divaricata*, Michx., S.
 Americana, L., S.
 275. *Specularia perfoliata*, A. DC. S.

LXXVI. *Ericaceæ*.

276. *Gaylussacia dumosa*, Torr. & Gray, M.
 frondosa, Torr. & Gray, M.
 277. *Vaccinium stamineum*, L., S.
 arboreum, Michx., M.
 nitidum, Andr., M.
 myrsinites, Michx., M.
 var. glaucum, Gray, M.
 virgatum, Ait. M.
 var. tenellum, Coray, M.
 var. parvifolium, Gray, M.

-
- Elliottii, M.
278. *Epigaea repens*, L., S., M.
279. *Leucothoe axillaris*, Don., M.
racemosa, Gray, M.
Catesbaei, Gray, M.
280. *Audromeda floribunda*, Pursh., M.
phillyreæfolia, Hook., M.
nitida, Bartr., M.
ligustrina, Muhl., M.
281. *Oxydendrum arboreum*, DC., S.
282. *Kalmia latifolia*, L., S.
hirsuta, Walt., M.
283. *Rhododendron nudiflorum*, Torr. S., M.
viscosum, Torr., M.
284. *Clethra alnifolia*, L., S., M.
285. *Monotropa uniflora*, L., S.

LXXVIII. *Aquifoliaceæ*.

286. *Ilex opaca*, Ait., S.
Dahoon, Walt., M.
Dahoon var. not described, M.
Cassine, L., M.
decidua, Wallt., M.
ambigua, Chap.
Amelanchier, Curtis, M.
glaber, Gray, M.
coriacea, Chap., M.

LXXIX. *Styracaceæ*.

287. *Styrax Americanum*, L., M.
grandifolium, Ait., M.
pulverulentum, Michx.
288. *Halesia diptera*, L., M.

tetraptera, L., S.

289. *Symplocos tinctoria*, L'Her. S.

LXXX. *Cyrillaceæ*.

290. *Cyrilla racemiflora*, Walt., S.

291. *Cliftonia ligustrina*, Banks, M.

LXXXI. *Ebenaceæ*.

292. *Diospyros Virginiana*, L., S.

LXXXII. *Sapotaceæ*.

293. *Bumelia lycioides*, Gaert., M.

lanuginosa, Pers., M.

LXXXV. *Plantaginaceæ*.

294. *Plantago major*, L., S.

lanceolata, L., S.

Rugelii, Decaisne, S.

Virginica, L., S.

heterophylla, Nutt., S.

Patagonica.

var. cristata, L., S.

LXXXVI. *Plumbaginaceæ*.

295. *Statice Caroliniana*, Walt., M.

LXXXVII. *Primulaceæ*.

296. *Steironema ciliatum*, Raf., S.

lanceolatum.

var. angustifolium, Gray, M.

longifolium, Gray, S.

297. *Anagallis arvensis*, L., M.

298. *Centunculus minimus*, L. M.

299. *Samolus valerandi*.

var. Americanus, Gray, S.

-
300. *Dodecatheon Meadia*, L. S.

LXXXVIII. *Lentibulaceæ*.

301. *Utricularia inflata*, Walt., M.

fibrosa, Walt., M.

subulata, L., M.

cornuta, Michx., M.

302. *Pinguicula elatior*, Michx., M.

lutea, Walt., M.

LXXXIX. *Bignoniaceæ*.

303. *Bignonia capreolata*, L., S., M.

364. *Tecoma radicans*, Juss., S.

305. *Catalpa biguonioides*, Walt., M. S.

306. *Martynia proboscides*, L. S.

XC. *Orobanchaceæ*.

307. *Epiphegus Virginiana*, Bart. S.

XCI. *Scrophulariaceæ*.

308. *Verbascum Thapsus*, L. S.

Blattaria, L., S.

309. *Scrophularia nodosa*, L., S.

310. *Chelone glabra*, L., S.

311. *Pentstemon pubescens*, Solander S.

Digitalis, Nutt., S.

lævigatus, Sol., M.

312. *Linaria vulgaris*, Miller, S.

Canadensis, Spreng., S.

Floridana, Chap., M.

313. *Mimulus alatus*, Ait., S.

314. *Herpestis nigrescens*, Benth., M. S.

chamaædroides, Dr. Dennis.

Monnieria, Kanth., M.

315. *Gratiola sphærocarpa*, Ell., S.
 Floridana, Nutt., M.
 aurea, Muhl., M.
 pilosa, Michx., S., M.
316. *Ilysanthes gratioloides*, Benth., S.
317. *Micranthemum orbiculatum*, Michx., M.
 Nuttallii, Gray M.
318. *Veronica Virginica*, L., S.
 var. with 3 leaves in a whorl, S.
 pregrina, L., S.
 arvensis, L., S
319. *Buchnera Americana*, L. S.
320. *Seymeria tenuifolia*, Pursh., S.
 pectinata, Pursh., S.
321. *Macranthera fuchsoides*, Torr., M. S.
322. *Gerardia linifolia*, Nutt., S.
G. (Dasystoma) pedicularia, Benth., M. S.
G. (Otophylla) auriculata, Benth., Buckley.
 aphylla, Nutt., M.
 purpurea, L., S.
 var. *fasciculata*, Chap., M.
 maritima, Raf., M.
 Pluckenetti, Ell., M.
 var. *microphylla*, Gray, M.
 setacea, Walt., M.
 Skinnerianna, Wood, M.
 var. *pectinata*, Gray, S.
 pubescens, Benth., S.
 laevigata, Raf., M.
 quercifolia, Pursh., S.
323. *Castilleja coccinea*, Spreng., S.
324. *Schwalbea Americana*, L. M.
325. *Pedicularis Canadensis*, L., S.

XCII. *Acanthaceæ.*

326. *Ruellia strepens*, L., S.
 var. —— M.
noctiflora, Gray, M.
ciliosa, Pursh., M.
 327. *Calophanes humistrata*, Nees., M.
humilis, Gray, M.
 329. —— *virens*, Gray, S.

XCIII. *Verbenaceæ.*

330. *Verbena officinalis*, L., M.
venosa, Giliiss & Hook, M.
urticifolia, L. S.
Caroliniana, Michx., S.
hastata, L. S.
angustifolia, Michx., S.
bracteosa, Michx., S.
Aubletia, L., S.
 331. *Lippia nodiflora*, Michx., M.
 332. *Callicarpa Americana*, L., S., M.

XCIV. *Labiatæ.*

333. *Hyptis radiata*, Willd., S. M.
 334. *Mentha piperita*, L., S.
 335. *Lycopus Virginicus*, L. S.
sinuatus, Ell.
 var. *intermedius*, Chap. S.
Europeus, L., M.
 336. *Pycnanthemum linifolium*, Pursh., S.
incanum, Michx., S.
aristatum, Michx., S.
albescens, Torr. & Gray, M.
 337. *Collinsonia Canadensis*, L., S.

-
- anisata, Pursh., M.
 - ovalis, Pursh., M.
 - 338. Hedeoma pulegioides, Pers., S.
 - 337. Calamintha Caroliniana, Sweet, M.
 - coccinea, Benth., M.
 - Nepeta, Link, S.
 - 340. Conradina canescens, Gray.
 - 341. Salvia Chapmani, Gray, Buckley.
 - urticifolia, L. S.
 - lyrata, L. S.
 - coccinea, L. perhaps escaped from cultivation.
 - azurea, Lam. S.
 - 342. Monarda fistulosa, L., S.
 - punctata, L., S. M.
 - 343. Blephilia ciliata, Raf., S.
 - 344. Nepeta Cataria, L., S.
 - 345. Brunella vulgaris, L., S.
 - 346. Scutellaria lateriflora, L., M.
 - versicolor, Nutt., S.
 - canescens, Nutt.
 - var. punctata, Chap., S., M.
 - serrata, Andr. S.
 - integrifolia, L., S., M.
 - pilosa, Michx., S.
 - parvula, Michx., S.
 - var. mollis, Gray, S.
 - galericulata, L., S.
 - 347. Physostegia Virginiana, Benth., S.
 - 348. Marrubium vulgare, L., S.
 - 349. Leonotis nepetæfolia, R. Br., M.
 - 350. Leonurus Cardiaca, L., S., M.
 - 351. Lamium amplexicaule, L., S.

352. *Trichostema dichotomum*, L., S.
lineare, Nutt., M.
333. *Teucrium Canadense*, L., S.
354. *Isanthus caeruleus*, Michx. S.

XCV. *Boraginaceæ.*

355. *Tournefortia heliotropioides*, Hook., M.
356. *Heliotropium tenellum*, Torr., M.
Curassavicum, L., M.
Indicum, L. S.
357. *Cynoglossum Virginicum*, L., S.
358. *Echinospermum Virginicum*, L. S.
359. *Lithospermum arvense*, L., S.
tuberosum, Rugel, S.
hirtum, Lam., S.
canescens, Lam., S.
360. *Onosmodium Virginianum*, L., S., M.
361. *Myosotis verna*, Nutt., S.

XCVI. *Hydrophyllaceæ.*

362. *Hydrophyllum Canadense*, L., S.
363. *Nemophila microcalyx*, Fisch. & Meyer,
S., M.
364. *Phacelia bipinnatifida*, Michx., S.
Purshii, Buckley, S.
parviflora, Pursh., S.
pussilla, Buckley, M.

XCVII. *Hydroleaceæ.*

365. *Nama Jamaicensis*, L., M.
366. *Hydrolea Caroliniana*, Michx., S., M.
ovata, Nutt., S.
affinis, Gray, M.

XCVIII. *Polemoniaceæ.*

367. *Phlox paniculata*, L., S.
 maculata, L., S.
 divaricata, L., S.
 glaberrima, L., S., M.
 var. *Laphamii*, Wood., S.
 pilosa, L., M.
 Walteri, Chap., M.
 amœna, Sims, M.
 368. *Polemonium reptans*, L., S.

XCIX. *Convolvulaceæ.*

369. *Dichondra repens*, Forst., M.
 370. *Quamoclit coccinea*, L. M. S.
 361. *Ipomoea pes-caprae*, Sweet., M.
 pandurata, Meyer, M.
 sagittata, Cav. M.
 commutata, R. & S. M.
 lacunosa, L., M.
 372. *Jacquemontia tamnifolia*, Gres. M.
 373. *Calystegia spithamea*, L., S.
 sepium, var. *repens*, Gray, S.
 374. *Breweria (Stylosma) humistrata*, Gray,
 S. M.
 375. *Cuscuta compacta*, Juss., S.
 decora, Chois.
 var. *pulcherrima*, Engel. M.
 Gronovii, Willd. M.

C. *Solanaceæ.*

376. *Solanum nigrum*, L., S.
 var. *ptycanthum*, S.
 var. *nodiflorum*, L., S.

Ipomoea acetosa folia
 (*Batatas littoralis*. Chois.)

- Carolinense*, L., S.
sisymbriæfolium, Lam. S.
Pseudo-capsicum, L., M.
 377. *Nicandra physaloides*, Gært., S.
 378. *Physalis obscura*, Michx., M.
 pubescent, L., S.
 lanceolata, Michx., S. M.
 angustifolia, Nutt., M.
 379. *Lycium Carolinianum*, Walt., M.
 380. *Datura Stramonium*, L., S. M.
 tatula, L. M.
- Cl. *Gentianaceæ.*
381. *Sabbatia macrophylla*, Hook., M.
 lanceolata, Torr. & Gray, S.
 brachiata, Pursh., M.
 paniculata, Pursh., S.
 stellaris, Pursh., S.
 gracilis, Pursh., M. S.
 chlorides, Pursh., M.
 gentianoides, Ell., M.
 angularis, Pursh., S.
 calycosa, Pursh., S.
 Boykinii, Gray, S.
 382. *Gentiana Elliotti*, Gray, M.
 ochroleuca, Frøel., S., M.
 Saponaria, L., M.
 383. *Frasera Carolinensis*, Walt., Dr. Denny.
 384. *Bartonia tenella*, Muhl., M.
 verna, Muhl., M.
 385. *Obolaria Virginica*, L., S.
 386. *Limnanthemum trachyspermum*, Gray, M.

CII. *Apocynaceæ.*

387. *Apocynum cannabinum*, L., M.
 androsæmifolium, L. S.
388. *Trachelospermum difforme*, Gray, S.
389. *Amsonia Tabernæmontana*, Walt., S.
 angustifolia, Michx., S.

CIII. *Asclepiadaceæ.*

390. *Asclepiodora vridis*, Gray, M.
391. *Asclepias tuberosa*, L., S.
 var. *decumbens*, M.
 paupercula, Michx., M.
 obtusifolia, Michx., M.
 variegata, L., S.
 perennis, Walt., S.
 verticillata, L., S.
 angustifolia, Ell., M.
 Michauxii, Decaisne, M.
 amplexicaulis, Michx. M.
392. *Acerates paniculata*, Decaisne, S.
 viridiflora, Ell., M.
 longifolia, Ell., M.
393. *Enslenia albida*, Nutt., S.
394. *Seutera palustris*, Gray, M.
 maritima, Decaisne, M.
395. *Gonolobus hirsutus*, Michx., S.
 Baldwiniensis, Sweet, Buckley.

CIV. *Oleaceæ.*

396. *Forestiera acuminata*, Poir., M.
 ligustrina, Poir., S.
397. *Chionanthus Virginica*, L., S., M.
398. *Olea Americana*, L., M. S.

399. *Fraxinus Americana*, L., Dr. Denny, S.
 var. *microcarpa*, Gray.
platycarpa, Michx., S.

CV. *Aristolochiaceæ*.

400. *Asarum Virginicum*, L., S.
arifolium, Michx., S., M.
 401. *Aristolochia serpentaria*, L., S., M.
tomentosa, Sims, Dr. Denny.

CVI. *Nyctaginaceæ*.

402. *Oxybaphus albidus*, Sweet., M.
 403. *Boerhaavia erecta*, L., S., M.

CVII. *Phytolaccaceæ*.

404. *Phytolacca decandra*, L. S. M.

CVIII. *Chenopodiaceæ*.

405. *Chenopodium Boscianum*, Moq., M.
album, L., M. S.
Botrys, L., S.
Anthelminticum, L., S.
 406. *Obione arenaria*, Moquin, M.
 407. *Salicornia ambigua*, Michx., M.
 408. *Chenopodina maritima*, Michx., M.
 409. *Salsola Kali*, L., M.

CIX. *Amarantaceæ*.

410. *Amarantus chlorostachys*, Willd., M.
hybridus, L. M.
spinosus, L. S.
 411. *Aenida cannabina*, L., M.
 412. *Alteranthera Achyrantha*, R. Br., S., M.
 413. *Frœlicchia Floridana*, Moquin, S. M.

CX. *Polygonaceæ.*

414. *Rumex crispus*, L., S.
 obtusifolius, S., M.
 Floridanus, L., M.
 sanguineus, L., S.
 Acetosella, L., S.
 hastatus, Baldw., S.
415. *Polygonella parvifolia*, Michx., Buckley.
 gracilis, Meisner, M.
 Meisneriana, Shuttle., Rugel.
416. *Polygonum incarnatum*, Ell., M.
 Pennsylvanicum, L., M.
 Persicaria, L., S.
 hydropiperoides, Michx., M.
 acre, Kunth. S.
 setaceum, Baldw., S., M.
 aviculare, L. S.
 var. *erectum*, Chap., S.
 Virginianum, L., S.
 sagittatum, L., S.
 dumetorum, L., S., M.
417. *Brunnichia cirrhosa*, Banks, S., M.

CXI. *Lauraceæ.*

418. *Persea Carolinensis*, Nees., M.
 var. *palustris*, Chap., M.
419. *Sassafras officinale*, Nees., S.
420. *Benzoin melissæfolium*, Nees., Buckley.

CXI. *Thymelæceæ.*

421. *Dirca palustris*, L., Dr. Denny.

CXIV. *Loranthaceæ.*

422. *Phoradendron flavescens*, Nutt., M., S.

CXV. *Saururaceæ.*

423. *Saururus cernuus*, L. S. M.

CXVI. *Ceratophyllaceæ.*

424. *Ceratophyllum demersum*, L., M.

CXVII. *Callitrichaceæ.*

425. *Callitriche heterophylla*, Pursh.

var. *brevifolia*, M.

var. *terrestris*, M.

CXIX. *Euphorbiaceæ.*

426. *Euphorbia corollata*, L. S. M.

var. *angustifolia*, Ell., M.

telephiooides, Chap., M.

hypericifolia, L. S.

pilulifera, L., M.

maculata, L. S. M.

cordifolia, Ell., M.

polygonifolia, L., M.

obtusata, Pursh., Buckley.

Peplus, L., M.

commutata, Engelm. S.

427. *Stillingia sylvatica*, L., S., M.

lingustrina, Michx., M.

sebifera, Michx., M.

428. *Acalypha Virginica*, L., S.

var. *gracilens*, Gray, S.

Caroliniana, Walt., S., M.

429. *Cnidoscolus stimulosus*, Gray, S., M.

430. *Tragia innocua*, Walt., M.

urticifolia, Michx., S., M.

431. *Croton argyranthemum*, Michx., M.

capitatum, Michx., S.

Texenese, Moe. M.
glandulosum, L., S., M.
monanthogynum, Michx., S.

432. Ricinus communis, L.
433. Phyllanthus Carolinensis, Walt., M. S.
434. Crotonopsis linearis, Michx., M.

CXX. *Empetraceæ.*

435. Geratiola ericoides, Michx., M.

CXXI. *Batidaceæ.*

436. Batis maritima, L., M.

CXXII. *Urticaceæ.*

437. Urtica Chamædryoides, Pursh., S.
purpurascens, Nuts., S.

438. Pilea pumila, Gray, M., S.

439. Boehmeria cylindrica, Willd.

CXXIII. *Cannabinaceæ.*

440. Humulns Lupulus, L., S.

CXXIV. *Moraceæ.*

441. Morus rubra, L., S.
alba, L., S.

442. Broussonetia papyrifera Vent.

443. Macluria aurantiacea, Nutt., S. M.

CXXV. *Ulmaceæ.*

444. Ulmus fulva, Michx., S.

Americana, Dr Denny, S.
alata, Michx., M. S.

445. Planera aquatica, Gmel., M.

446. Celtis occidentalis, L., S.

Mississippiensis, M.

CXXVI. *Platanaceæ.*

447. *Platanus occidentalis*, L. S. M.

CXXVII. *Juglandaceæ.*

448. *Carya alba*, Nutt., M. S.

olivæformis, Nutt., S. M.
tomentosa, Nutt., M. S.
aquatica, Nutt., M.
amara, Nutt. M. S.

449. *Juglans nigra*, L., S.

cinerea, L., S.

CXXVIII. *Cupuliferæ.*

450. *Quercus Phellos*, L., S., M.

arenaria, M.
virens, Ait., M.
maritimæ, Willd. M.
dentata, M.
cinerea, Michx., M.
var. nondescript (Citronelle.)
var. pumila, Michx. M.
aquatica (Catesby), S., M.
nigra, L., S., M.
Catesbaei, Michx., M.
tinctoria, Bartr., S.
coccinea, Wang., M.
rubra, L. S.,
falcata Michx., S., M.
obtusiloba, Michx., S.
alba, L., S., M.
lyrata, Walt., S.
bicolor, Walt., S.
Prinus, L. S.

Pr. acuminata (Q.

Castanea), Willd., S.

pumila, Walt., S.

451. *Castanea vesca*, L. S.

pumila, Michx., M. S.

452. *Fagus ferruginea*, Ait., S.

453. *Corylus Americana*, Michx., Walt., S.

454. *Carpinus Americana*, Michx., S., M.

455. *Ostrya Virginica*, Willd., S., Dr. Denny.

CXXIX. *Myricaceæ.*

456. *Myrica cerifera*, L., M.

var. *media*, Michx., M.

var. *pumila*, Michx., M.

inodora, Bartr., M.

CXX. *Betulaceæ.*

457. *Betula nigra*, L., S.

458. *Alnus serrulata*, Ait., S., M.

CXXXI. *Salicaceæ.*

459. *Salix nigra*, Marsh., M.

460. *Populus grandidentata*, Michx., S.

heterophylla, L. M.

monilifera L.

CXXXII. *Coniferæ.*

461. *Pinus taeda*, L., S., M.

australis, S., M.

mitis, Michx., S.

Elliottii, M.

serotina, Michx., Curtis.

462. *Juniperus Virginiana*, L., S., M.

463. *Cupressus thyoides*, L. M.

464. *Taxodium distichum*, Rich., S. M.

Pinus glabra Willd.

CLASS II.

Monocotyledonous or Endogenous Plants.CXXXIV. *Palmae.*

465. *Sabal serrulata*, R. & S., M.

Adansonii, Guerns., S., M.

CXXXV. *Araceæ.*

466. *Arisæma triphyllum*, Torr., S.

Dracontium, Shott, S.

467. *Peltandra Virginica*, Raf. S.

468. *Xanthosoma sagittifolium*, Schott, M.

469. *Orontium aquaticum*, L. S.

470. *Acorus calamus*, L. S.

CXXXVI. *Lemnaceæ.*

471. *Lemna polyrhiza*, L., M.

CXXXVII. *Typhaceæ.*

472. *Typha latifolia*, L. S. M.

473. *Sparganium simplex*.

var. angustifolium, Gray, S.

CXXVIII. *Naiadaceæ.*

474. *Naias flexilis*, Rostk., M.

475. *Zannichellia palustris*, L., M.

476. *Ruppia marima*, L., M.

477. *Potamogeton fluitans*, Roth., M.

perfoliatus, L., M.

hybridus, Michx., M.

CXXXIX. *Alismaceæ.*

478. *Triglochin triandrum*, Michx., M.
 479. *Alisma Plantago*, L., S.
 480. *Sagittaria falcata*, Pursh., M.
 variabilis, Engelm., M. S.
 simplex, Pursh., M.
 natans, Michx.
 var. *loratta-pusilla*, Pursh., M.

CXL. *Hydrocharidaceæ.*

481. *Vallisneria spiralis*, L., M.

CXLI. *Burmanniaceæ.*

482. *Burmannia biflora*, L., M.
 capitata, Chap., M.
 483. *Apteria setacea*, Nutt., M.

CXLII. *Orchidaceæ.*

484. *Microstylis ophioglossoides*, Nutt., S.
 485. *Epidendrum conopseum*, Ait., M.
 686. *Tipularia discolor*, Nutt., S., M.
 487. *Bletia aphylla*, Nutt., S.
 488. *Calopogon pulchellus*, R. Br. S.
 parviflorus, Lindl., M.
 489. *Pogonia ophioglossoides*, Nutt., S., M.
 divaricata, R. Br., M.
 verticillata, Nutt., S.
 490. *Habenaria (Gymnadenia) flava*, Lindl., S.
 “ *tridentata*, Lindl., S.
 “ *nivea*, Gray & Engelm., M.
 (*Platanthera*) *ciliaris* R. Br. S.
 “ *blephariglottis*, Hk. S.

" *cristata*, R. Br. M. S.

" *lacera*, Gray, S.

repens, Nutt., M.

Michauxii, Nutt., S.

491. *Spiranthes cernua*, Rich., S.

tortilis, Willd., S.

graminea, Lindl.

var. Walteri, M.

gracilis, Bigel, M.

brevifolia, Chap., M.

492. *Ponthieva glandulosa*, R. Br., M. S.

CXLIII. *Cannaceæ*.

493. *Canna flaccida*, Roscoe, M.

CXLIV. *Amaryllidaceæ*.

494. *Amaryllis Atamasco*, L., S.

495. *Pancratium rotatum*, Ker., M.

occidentale, Leconte, S.

496. *Crinum Americanum*, L., M.

497. *Agave Virginica*, L. S.

498. *Hypoxys erecta*, L. S.

CXLV. *Hæmodoraceæ*.

499. *Lachnanthes tinctoria*, Ell., M.

500. *Lophiola aurea*, Ker., M.

501. *Aletris farinosa*, L., S., M.

aurea, Walt., M.

CXLVI. *Bromeliaceæ*.

502. *Tillandsia usneoides*, L.

CXLVII. *Iridaceæ*.

503. *Iris verna*, L., M.

versicolor, L. M.

cristata, Ait., S.

504. *Sisyrinchium Bermudiana*, L. S.

var. *mucronatum*, Gray, M.

var. *albidum*, Gray, S.

CXLVIII. *Dioscoreaceæ*.

505. *Dioscorea villosa*, L., S.

CXLI. *Smilaceæ*.

506. *Smilax rotundifolia*, L., S., M.

auriculata, Walt., Dr. Denny.

laurifolia, L., M.

lanceolata, L., M.

pumila, Walt., M.

glauca, Walt., S., M.

tamnoides, L., M.

507. *Coprosmanthus herbaceus*, Kunth., S.

508. *Trillium sessile*, L. S.

discolor, Wray, M.

cernuum, L., S.

509. *Medeola Virginica*, L., S.

CL. *Roxburghiaceæ*.

510. *Croomia paniciflora*, Torr., S.

CLI. *Liliaceæ*.

511. *Polygonatum biflorum*, Ell., S.

512. *Smilacina racemosa*, Desf., S.

503. *Allium Canadense*, Kalm., S.

mutable, Michx., S.

striatum, Jacq., S. M.

514. *Scilla Fraseri*, Gray, S.

515. *Erythronium Americanum*, Smith, S.

516. *Lilium superbum*, L. S.

var. *Carolinianum*, Chap., M.

Catesbaei, Wallt., M.

517. *Yucca filamentosa*, L., S., M.
aloifolia, L., S.

CLII. *Melanthaceæ*.

518. *Uvularia perfoliata*, L., S.
sessilifolia, L., S.
519. *Melanthium Virginicum*, L., M.
520. *Zigadenus glaberrimus*, Michx., M.
521. *Stenanthium angustifolium*, Gray, S.
522. *Amianthium muscæticum*, Gray, S.
523. *Chamælirium luteum*, Gray, S.
524. *Tofieldia pubens*, Ait., M.

CLIII. *Juncaceæ*.

525. *Luzula campestris*, DC., S.
526. *Juncus effusus*, L., S.
setaceus, Rostk., S.
Rœmerianus, S. Schub. M.
tenuis, Willd., S.
var. B. M.
dichotomus, Ell., M.
bufonius, L. S.
var. *fasciaelaris*, Engelm., M.
acuminatus.
var. *legitimus*, Engelm., M.
scirpoides, Lam. S.
var. *polycephalus*, M.
var. *macrostemon*, Gray, M.
marginatus, Rostk., S.
var. *biflorus*, Engelm., M.
repens, Michx., M.

CLIV. *Pontederiaceæ.*

527. *Pontederia cordata*, L., M.
 528. *Schollera graminea*, Willd., S.

CLV. *Commelynaceæ.*

529. *Commelynca Cajennensis*, Rich., M. S.
 erecta, L., M.
 Virginica, L., S., M.
 530. *Tradescantia Virginica*, L. S. M.

CLVI. *Mayacaceæ.*

531. *Mayaca Michauxii*, Schott, & Endl., M.

CLVII. *Xyridaceæ.*

532. *Xyris flexuosa*, Muhl., M. S.
 ambigua, Beyr., M.
 Elliottii, Chap., M.
 Caroliniana, Walt., M.
 iridifolia, Chap., M.
 torta, Smith, M.
 tenuifolia, Chap., M.
 Baldwiniana, R. & S., M.

CLVIII. *Eriocaulonaceæ.*

533. *Eriocaulon decangulare*, L., S.
 gnaphalodes, Michx., M.
 534. *Lachnocaulon Michauxii*, Kunth., M.

CLIX. *Cyperaceæ.*

535. *Cyperus flavescens*, L., S.
 rivularis, Kunth., S., M.
 Nuttallii, Torr., M.
 microdontus, Torr., M.
 stenolepis, Torr., M.

- Michauxianus*, Schultes, S.
repens, Ell., M.
rotundus, L., S., M.
articulatus, L. M.
Haspan, L., S., M.
Lecontii, Torr., M.
dissitiflorus, Torr., M.
virens, Michx., S., M.
vegetus, Willd., S.
compressus, L. M.
filiculmis, Vahl., M.
Grayii, Torr., M.
ovularis, Torr., M. S.
retrofractus, Torr. M. S.
Baldwinii, Torr., S.
 536. *Kyllingia pumila*, Michx., M,
 sesquiflora, Torr. S.
 537. *Dulichium spathaceum*, Rich., M., S.
 538. *Hemicarpha subsquarrosa*, Nees., M.
 539. *Lipocarpha maculata*, Torr., S.
 540. *Fuirena scirpoidea*, Vahl., M.
 squarrosa, Michx., S.
 var. *hispida*, Chap., M.
 541. *Eleocharis equisetoides*, Torr., M.
 cellulosa, Torr., M.
 tuberculosa, R. Br., S.
 prolifera, Torr., S.
 albida, Torr., M.
 tenuis, Schultes, S., M.
 microcarpa, Torr., M.
 obtusa, Schultes, S.
 acicularis, R. Br., M.
 pygmæa, Torr., M.

- Baldwinii, Torr., M.
542. *Scirpus pungens*, Vahl, M.
 validus, Vahl, M.
 leptolepis, Chap., M.
 maritimus, L., M.
 Eriophorum, Michx., M., S.
 lineatus, Michx., M.
 Olneyi, Gray, M.
543. *Fimbristylis spadicea*.
 var. castaneus, Gray, M.
 var. puberula, Michx., M.
544. *Trichelostylis autumnalis*, Chap., S.
545. *Isolepis ciliatifolia*, Torr., M.
 stenophylla, Torr., M.
546. *Rhyncospora plumosa*, Ell., M.
 var. intermedia, Chap., M.
 oligantha, Gray, M.
 rariflora, Ell., M.
 Torreyana, Gray, M.
 cymosa, Nutt., M.
 var. globularis, Chap., M.
 compressa, Gray, Buckley.
 microcarpa, Bald., M.
 inexpansa, Vahl, M.
 Elliottii, Dietr., M.
 caduca, Ell., M.
 miliacea, Gray, M., S.
 Grayii, Kunth., M.
 ciliata, Vahl, M.
 megalocarpa, Gray, M.
 fascicularis, Nutt., M.
 var. distans, Chap., M.
 filifolia, Gray, M.

-
- pallida, Curtis, M.
 gracilenta, Gray, M.
 glomerata, Vahl, M., S.
 cephalantha, Gray, M.
 pusilla, Chap., M.
 547. *Ceratoschoenus corniculatus*, Nees, S., M.
 548. *Dichromena latifolia*, Bald., M.
 leucocephala, Michx., S.
 549. *Cladium effusum*, Torr., M.
 550. *Seleria triglomerata*, Michx., M.
 oligantha, Ell., S.
 Elliottii, Chap., M.
 laxa, Torr., M.
 pauciflora, Muhl., M.
 var. glabra, Chap., M.
 Michauxii, Chap., M.
 551. *Carex* (Vignea).
 bromoides, Schk., M.
 vulpinoidea, Michx., M.
 Crus-corvi, Shuttl., M.
 cephalophora, Muhl., M., S.
 stellulata.
 var. **conferta**, Chap., M.
 scoparia, Schk.
 straminea, Schk., M.
 fœnea, Muhl., M. S.
 Muhlenbergii, S.
 552. *Carex* (proper).
 polytrichoides, Muhl., S., M.
 virescens, Muhl., M.
 dasyarpa, Muhl., M.
 laxiflora, L. S.
 var. **striatula**, Chap., M.

- styloflexa, Euckley, M.
 glaucescens, Ell., S. M.
 Cherokeensis, Schk., M.
 venusta, Dew, M.
 tentaculata, Muhl., M. S.
 lupulina, Muhl., S.
 folliculata, L., M.
 turgescens, Torr., S.
 Elliottii, Schw. & Torr., M.
 intumescens, Rudge, M. S.

CLX. Gramineæ.

553. Leersia Virginica, Willd., M.
 oryzoides, Swartz, M.
 554. Zizania miliacea, Michx., M.
 aquatica, L., M.
 555. Hydrochloa Carolinensis, Beauv., M.
 556. Alopecurus geniculatus, L., S.
 pratensis, M.
 557. Phleum pratense, L., M.
 558. Sporobolus Indicus, Brown, S., M.
 junceus Kunth., M.
 559. Vilfa aspera, Beaur., M.
 vaginæflora, M.
 560. Agrostis perennans, Gray, M.
 scabra, Willd., S.
 alba, L., M.
 arachnoides, Ell., M.
 571. Cinna arundinacea, L. S. M.
 562. Muhlenbergia Mexicana, Trin., M.
 diffusa, Schreb., M.
 sylvatica, Willd., M.
 capillaris, Kunth., M. S.

- trichopodes, Chap., M.
563. *Brachyelytrum aristatum*, Beauv., M.
564. *Calamagrostis Nuttallii*, S.
565. *Aristida gracilis*, Ell., M.
lanata, Poir., S.
purpurascens, Poir., M.
virgata, Trin., M.
var. *palustris*, Chap., M.
spiciformis, Ell., M.
566. *Spartina juncea*, Willd., M.
polystachya, Willd., M.
glabra, Muhl., M.
567. *Gymnopogon racemosus*, Beauv., M.
brevifolius, Trin., M.
568. *Eustachys petræa*, Desv., M.
569. *Cynodon dactylon*, Pers., S.
570. *Ctenium Americanum*, Spreng., M.
571. *Dactyloctenium Aegyptiacum*, Willd., S.
572. *Eleusine Indica*, Gært., S.
573. *Leptochloa mucronata*, Kunth., S.
polystachya, Kunth., M.
574. *Tricuspidia sesslerioides*, Torr., S.
ambigua, Chap., M.
cornuta Gray, M.
purpurea, Gray, M.
575. *Dactylis glomerata*, L., S.
576. *Eatonia obtusata*, Gray, M.
Pennsylvanica,
var. *filiformis*, Chap., M.
577. *Melica mutica*, Walt., S.
578. *Glyceria nervata*, Trin., M.
579. *Arundinaria gigantea*, Chap., S.
tecta, Muhl., M.

580. *Brizopyrum spicatum*, Hook., M.
581. *Poa annua*, L. S. M.
 cristata, Walt., M.
 compressa, L., M.
 alsodes, Gray, S. M.
 flexuosa, Muhl., M.
 pratensis, L., M. S.
582. *Eragrostis reptans*, Nees., M.
 pocoides,
 var. *magastachya*, Gray, S.
 ciliaris, Link., M.
 Purshii, Schrad., M.
 conferta, Trinn., M.
 tenuis, Gray, M.
 capillaris, Nees., S.
 nitida, Chap., M.
 pectinacea, Gray, M.
 var. *refracta*, Chap., M.
583. *Festuca tenella*, Willd., S.
 Myurus, L., M.
 parviflora, Ell., M.
 unioloides, Willd., S., M.
584. *Bromus ciliatus*, L., M.
 secalinus, L., S.
 Seraderi, M.
585. *Uniola latifolia*, Michx., S.
 paniculata, L., M.
 gracilis, Michx., S.
 nitida, Baldw., M.
586. *Phragmites communis*, Trin., M.
587. *Elymus Virginicus*, L., M.
 striatus, Willd., M.
588. *Gymnostichum Hystrix*, Schreb., M.

589. *Lolium perenne*, L., S.
590. *Aira caryophyllea*, L., M.
591. *Hordeum pratense*, L. M.
592. *Danthonia sericea*, Nutt., M.
spicata, Beaur., M.
593. *Arrhenatherum avenaceum*, Beauv., M.
594. *Avena fatua*, L., M.
595. *Phalaris intermedia*, Bosc., M. S.
596. *Holcus lanatus*, L., M.
597. *Paspalum fluitans*, Kunth., M.
Walteri, Schultes., M.
distichum, L., M.
Digitaria, Poir S.
platycaule, S.
praecox Walt. S. M.
læve, Michx., M. S.
Floridanum Michx., M.
racemulosum, Nutt., M.
undulatum, Poir., S.
ciliatifolium, Michx., M. S.
598. *Panicum* (*Digitaria*).
sanguinale, L., S.
filiforme, L., M.
villosum, Ell., M.
- (*Panicum proper*)
gibbum, Ell., M.
Curtisii, Chap., M.
hians, Ell., M.
anceps, L., M.
divergens, Muhl. M.
virgatum L., S.
amarum, Ell., M.
proliferum Lam., M.

- verrucosum*, Muhl., M.
latifolium, L. S.
clandestinum, L., M.
scoparium, L., S. M.
pauciflorum, Ell., M.
viscidum, Ell., S., M.
microcarpum, Muhl., S.
dichotomum, L., S., M.
depauperatum, Muhl., M.
ignoratum, Kunth., M.
Crus-galli, L., S., M.
colonum, L., M.
hirtellum, L., M.
repens, L., M.
 599. *Setaria glauca*, Beaur., M.
 var. *lævigata*, S.
 Italica, L., M.
 600. *Cenchrus echinatus*, L., M.
 tribuloides, L., M.
 01. *Stenotaphrum Americanum*, Schrank., M.
 602. *Rottbœllia rugosa*, Nutt., M.
 corrugata, Baldw., M.
 603. *Tripsacum dactyloides*, L., S.
 604. *Andropogon tener*, Kunth., M.
 scoparius, Michx., S.
 furecatus, Muhl., S.
 tetrastrachys, Ell., M.
 Elliottii, Chap., M.
 Virginicus, L. S.
 macrourus, Michx., M.
 605. *Erianthus alopecuroides*, Ell., S., M.
 var. *contortus*, Chap., S.
 var. *brevibarbis*, Chap., M.

606. *Sorghum avenaceum*, Chap., S., M.
 nutans, Gray, S., M.
607. *Luziole Alabamensis*, Chap., Beaumont.

CLXI. *Equisetaceæ*.

608. *Equisetum laevigatum*, Braun, S.

CLXII. *Filices*.

609. *Polypodium vulgare*, L., S.
 incanum, Swartz, M. S.

610. *Pteris serrulata*, L., S., M.
 aquilina.
 var. *caudata*, Chap., S.

611. *Pellaea atropurpurea*, Link., Chap., S.

612. *Cheilanthes Alabamensis*, Kunze, S.
 vestita, Swartz, S.
 tomentosa, Link, S.

613. *Adiantum Capillus-Veneris*, L. S.
 pedatum, L. S.

614. *Woodwardia angustifolia*. S.
 Virginica, Willd., M.

615. *Camptosorus rhizophyllus*, Link, S.

616. *Asplenium pinnatifidum*, Nutt., S.
 ebenoides, Scott, S.
 ebeneum, Ait., S. M.
 var. *incisum*, M. (Montgomery).
 parvulum, Mart. & Gal. S.
 Trichomanes, L. S.
 montanum, Willd., S.
 Ruta-muraria, L., S.
 Filix-fœmina, Bernh. S.

617. *Cystopteris fragilis*, Bernh., S.

618. *Phegopteris hexagonoptera*, Fee. S.
 polypodioides, Fee. S.

619. *Aspidium Thelypteris*, Swartz, M.
 Noveboracense, Willd., S.
 patens, Swartz, S., M.
 marginale, Swartz, S.
 acrostichoides, Swartz., S.

620. *Onoolea sensibilis*, L., S.
 621. *Woodsia obtusa*, Torr., S.
 622. *Dicksonia punctilobula*, Kunze, S.
 623. *Trichomanes Petersii*, Gray, S.
 radicans, Swartz, S.

624. *Osmunda regalis*, L., S., M.
 cinnamomea, L., S., M.

625. *Botrychium ternatum*, Swartz, M.
 var. lunarioides Willd., M.
 Virginicum, Swartz, S.

626. *Ophioglossum bulbosum*, Michx., M. S.
 nudicaule, L.

CLXIII. *Lycopodiaceæ.*

627. *Lycopodium alopecuroides*, L., M.
 inundatum, L.
 var. attenuatum, M.
 Carolinianum, L., M.
 cernuum, L., M.

628. *Selaginella apus*, Spring., S.

CLXIV. *Hydropterides.*

629. *Azolla Caroliniana*, Willd., M.

This list is intended to serve as preliminary to a complete catalogue of the Flora of Alabama, to be published hereafter in one of the Reports of the Geological Survey.

It is desired that those to whom this list is sent, and who can assist in making it more complete, should send, either to Dr. Mohr or myself, dried specimens if possible of native plants observed by them, and not herein recorded.

EUGENE A. SMITH,

Tuscaloosa,

Ala.

1880.

